

FRANKFORD

exceptional shade

GRADE A Stock Fabrics




Stripe fabrics can only be sewn horizontally. Stripe fabrics cannot be sewn vertically or used on rectangular canopies.




R-175 - Captain Navy



R-172 - Pacific Blue



R-169 - Steel Blue



R-229 - Sapphire




R-171 - Turquoise



R-160 - Pistachio



R-102 - Forest Green



R-177 - Burgundy



R-182 - Vermillion



R-176 - Logo Red



R-105 - Salmon



R-104 - Chestnut




R-567 - Orange



R-185 - Pumpkin



R-554 - Yellow



R-156 - Brown



R-100 - Beige



R-126 - Linen



R-099 - White



R-138 - Cadet Grey



R-196 - Titanium



R-164 - Charcoal Grey



R-103 - Black

Stripe Repeat Pattern - 6.4"/16.5cm



R-065 - Navy Stripe



R-016 - Blue Stripe



R-011 - Turquoise Stripe



R-012 - Red Stripe



R-005 - Orange Stripe



R-055 - Yellow Stripe



R-017 - Black Stripe

Pantone® color matches displayed are only suggestions. These are not a 1:1 color match to the fabric and are meant as a tool to help aid in design. Please call to request physical fabric swatches if necessary.

Colors may vary while viewing digitally across different monitors, phone screens, print, etc.

BASE AND MOUNTS POWDER COATS/FINISH GUIDE

FINISH AVAILABLE 
 FINISH DISCLAIMER  See current MSRP for Upcharge (+MSRP)

MATERIAL FINISH  Stainless Steel
 Galvanized Steel

● MS ● SM ● WG ● HW ○ BK ● WH ● BZ ○ CB ● MS

	BRUSHED SILVER SATIN/ANODIZED	SILVER MIST	GOLDEN OAK	HEATHER WILLOW	ONYX	ALPINE WHITE	DESERT BRONZE	CARBON	BRUSHED SILVER RESIN PIGMENT	MATERIAL FINISH
RESIN COATED										
50C										
23										
ALUMINUM SHELLS	Stainless Steel Stem must be chosen and paired with this base. (8ST / 18ST / 18ST-2).									
100A										
150A										
STEEL PLATES										
50S										
75S										
100S										
GALVANIZED STEEL	Stainless Steel Stem must be chosen for Centerpost Umbrellas and paired with this base. (8ST / 18ST / 18ST-2).									
24G										
30G										
36G										
40G										
20G-SQ										
24G-SQ										
36G-SQ										
WHEEL BASE	Stainless Steel Stem must be chosen for Centerpost Umbrellas and paired with this base. (8ST / 18ST / 18ST-2).									
480-L										
PAVER BASES										
XB+C										
NGU550-L										
SPECIALTY MOUNTS										
DP										
IG										
BZ/BZ2										
CMLK										
38SAP/2										

- TABLE USE**
 Suitable for use beneath a table. It is not recommended as a free-standing base option.
- FREE-STANDING USE**
 Recommended as a free-standing option, but can also be suitable for use beneath a table if the table provides enough clearance.
- 1.5" STEM (8ST / 18ST)**
 Indicates the base can accommodate an 1.5"/38mm center pole.
- 2" STEM (18ST-2)**
 Indicates the base can accommodate a 2"/50mm center pole.

UMBRELLA BASE GUIDE

Recommendations by Application and Umbrella

	7.5ft. / 2.3m Oct.	9ft. / 2.7m Oct.	11ft. / 3.5m Oct.	13ft. / 4m Oct.	8.5ft. x 11ft. / 2.5m x 3.5m Rec. 882FMC	6.5ft. x 6.5ft. / 2m Sq.	7.5ft. x 7.5ft. / 2.3m Sq.	10ft. x 10ft. / 3m Sq.	8ft. x 10ft. / 2.4m x 3m Rec.	8.5ft. x 11ft. / 2.5m x 3.5m Rec.
RESIN COATED										
50C	 	 	 		 	 	 		 	
23	 	 	 		 	 	 		 	
ALUMINUM SHELLS										
100A	  	  	  		  	  	  		  	
150A	  	  	  	 	  	  	  	 	  	 
STEEL PLATES										
50S	 	 	 		 	 	 		 	
75S	 	 				 				
100S (wheels)	 	 	 		 	 	 		 	
GALVANIZED STEEL										
24G	  	  	  		  	  	  		  	
30G	  	  	  		  	  	  		  	
36G	 	 	 	 	 	 	 	 	 	 
40G	 	 	 	 	 	 	 	 	 	 
20G-SQ	 	 	 			 	 		 	
24G-SQ	  	  	  		 	  	  		  	
36G-SQ	 	 	 	 	  	 	 	 	 	 
WHEEL BASE										
480	 	 	 	 	 	 	 	 	 	 

Bases have a +/- 10 lbs. (4.5 kg.) tolerance based on a variety of variables. Dimensions +/- 1-2".

FRANKFORD

exceptional shade

G-SERIES SPECIFIC MOUNTING

UMBRELLA BASES



150A-18ST2

Description:

Finishes:



bk Onyx



bz Desert Bronze




sm Silver Mist



wg Golden Oak



hw Heather Willow



wh Alpine White



18ST2

weight: **6lbs**
base height: **18"**
stem diameter: **2"**
stem height: **18"**
total height: **18"**

Description: Individual stems can be mounted directly to concrete, wood deck, or any stable solid surface. (HARDWARE NOT INCLUDED)

Finishes:



ss Stainless Steel



36G-18ST2

weight: **150"**
width: **36"**
height: **.5"**

Description: 36G galvanized steel plate with 2" diameter 18" long stem. Can be stacked for additional weight.

Finishes:



gs Galvanized Steel



36G-SQ-18ST2

weight: **155lbs**
base diameter: **36"**
base height: **0.5"**
stem diameter: **2"**
stem height: **18"**
total height: **18.5"**

Description:

Finishes:



gs Galvanized Steel



40G-18ST2

weight: **190lbs**
base diameter: **40"**
base height: **0.5"**
stem diameter: **2"**
stem height: **18"**
total height: **18.5"**

Description: 40G galvanized steel plate with 2" diameter 18" long stem. Can be stacked for additional weight.

Finishes:



gs Galvanized Steel



480

weight: **80lbs**
base diameter: **34"**
base height: **6.5"**
total height: **11"**

Description: Residential use only. Holds three 16" pavers per quadrant (12 total pavers). Minimum pavers weight per quadrant must be 105 lbs. (35 lbs. per paver). Available in Matte Black, Matte Bronze, Matte Silver, and Matte White.


Finishes:




bk Onyx



bz Desert Bronze



ms Brushed Silver



wh Alpine White



cb Carbon